


FIG. 1



2/9

FIG.2A

DIE-DIE COMPARISON






FIG.2B

CELL-CELL COMPARISON



3/9

FIG.3



4/9

FIG.4A





FIG.4B

30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	60	60	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	60	60	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30
30	30	120	200	200	120	30	30	120	200	200	120	30	30	120	200	200	120	30	30

FIG. 4B is a data table representing a pattern inspection result. The table consists of 20 rows and 20 columns. The values in the cells are 30, 120, 200, and 60. Arrows point from labels 54A, 51A, 52A, 53A, and 55A to specific cells in the table.


5/9

FIG. 5




6/9

FIG.6



7/9

FIG. 7



8/9

FIG. 8A





FIG. 8B



9/9

FIG.9

